What is stormwater runoff:




Stormwater runoff occurs when precipitation from rain or snowmelt flows over the ground. Impervious surfaces like driveways, sidewalks, and streets prevent stormwater from naturally soaking into the ground.

Why is stormwater runoff a problem?



Stormwater can pick up debris, chemicals, dirt, and other pollutants and flow into a storm sewer system or directly to a lake, stream, river, wetland, or coastal water. Anything that enters a storm sewer system is discharged untreated into the waterbodies we use for swimming, fishing, and providing drinking water.

The effects of pollution Polluted stormwater runoff can have



- ◆ Sediment can cloud the water and make it difficult or impossible for aquatic plants to grow. Sediment also can destroy aquatic habitats.
- algae blooms. When algae die, they sink to the bottom and decompose in a process that removes oxygen from the water. Fish and other aquatic organisms can't exist in water with low dissolved oxygen levels.
- Bacteria and other pathogens can wash into swimming areas and create health hazards, often making beach closures necessary.
- Debris—plastic bags, six-pack rings, bottles, and cigarette butts—washed into waterbodies can choke, suffocate, or disable aquatic life like ducks, fish, turtles, and birds.
- Household hazardous wastes like insecticides, pesticides, paint, solvents, used motor oil, and other auto fluids can poison aquatic life.
 Land animals and people can become sick or die from eating diseased fish and shellfish or ingesting polluted water.



Polluted stormwater often affects drinking water sources. This, in turn, can affect human health and increase drinking water treatment costs.

tormwater Pollution Solution



solvents, and used motor oil and other auto fluids. contain chemicals, such as insecticides, pesticides, paint, Don't powr them onto the ground or into storm drains Recycle or properly dispose of household products that

Lawn care

off and pollute and gardens wash applied to lawns clippings and addition, yard streams. In and pesticides Excess fertilizers



nutrients and organic matter to streams into storm drains and contribute leaves can wash

- Don't overwater your lawn. Consider using a soaker hose instead of a
- Use pesticides and fertilizers amounts. Use organic mulch or safer sparingly. When use is necessary, use these chemicals in the recommended pest control methods whenever
- Compost or mulch yard waste. Don't storm drains or streams leave it in the street or sweep it into
- Cover piles of dirt or mulch being used in landscaping projects.

automotive fluids into storm dumping the materials directly drains has the same result as storm sewer system. Dumping contaminants through the can send detergents and other degreasing auto parts at home into a waterbody. Washing your car and



- Use a commercial car wash that treats or your yard so the water infiltrates into the recycles its wastewater, or wash your car on
- and batteries at designated drop-off or Repair leaks and dispose of used auto fluids recycling locations.

systems Septic

maintained Leaking and poorly



systems release nutrients and environmental concerns by stormwater and discharged viruses) that can be picked up nealth problems and Pathogens can cause public into nearby waterbodies pathogens (bacteria and

- Inspect your system every to 5 years) tank as necessary (every 3 3 years and pump your
- Don't dispose of waste in sinks or toilets household hazardous

Pet waste

a major source of bacteria and Pet waste can be in local waters excess nutrients

When walking



eventually into local waterbodies the storm drain and and nutrients to wash into allowing harmful bacteria public health risks by on the ground increases method. Leaving pet waste waste is the best disposal properly. Flushing pet waste and dispose of it remember to pick up the your pet,



Residential landscaping

decreasing stormwater runoff. systems allow rain and snowmelt to soak through divert unwanted water. Permeable pavement asphalt don't allow water to soak into the ground Permeable Pavement—Traditional concrete and Instead these surfaces rely on storm drains to

proof containers. The collect rainwater from lawn or garden areas. water can be used later on rooftops in mosquito-Rain Barrels—You can



designed areas planted Grassy Swales—Specially Rain Gardens and



with native plants can provide natural places for ground. Rain from and soak into the rainwater to collect than into storm drains into these areas rather areas can be diverted rooftop areas or paved

picks up as it flows across driveways and streets streams. They trap the pollutants stormwater native grass or plants created along roadways or Vegetated Filter Strips—Filter strips are areas of





- Dirt, oil, and debris that collect in parking lots and paved areas can be washed into the storm sewer system and eventually enter local waterbodies.
- Sweep up litter and debris from sidewalks, driveways and parking lots especially around storm drains.
- Cover grease storage and dumpsters and keep them clean to avoid leaks.
- Report any chemical spill to the local hazardous waste cleanup team. They'll know the best way to keep spills from harming the environment.
- Erosion controls that aren't maintained can cause excessive amounts of sediment and debris to be carried into the stormwater system. Construction vehicles can leak fuel, oil, and other harmful fluids that can be picked up by stormwater and deposited into local waterbodies.
- Divert stormwater away from disturbed or exposed areas of the construction site.
- Install silt fences, vehicle mud removal areas, vegetative cover, and other sediment and erosion controls and properly maintain them, especially after rainstorms.
- Prevent soil erosion by minimizing disturbed areas during construction projects, and seed and mulch bare areas as soon as possible.





streams can contaminate waterways with bacteria, making them unsafe for human contact contribute excessive amounts of sediment to local waterbodies. Excess fertilizers and pesticides can poison aquatic animals and lead to destructive algae blooms. Livestock in Lack of vegetation on streambanks can lead to erosion. Overgrazed pastures can also

- ◆ Keep livestock away from streambanks and provide them a water source away from waterbodies.
- Store and apply manure away from waterbodies and in accordance with a nutrient management plan.
- Vegetate riparian areas along waterways.
- Rotate animal grazing to prevent soil erosion in fields.
- Apply fertilizers and pesticides according to label instructions to save money and minimize pollution.



Improperly managed logging operations can result in erosion and sedimentation.

- Conduct preharvest planning to prevent erosion and lower costs.
- Use logging methods and equipment that minimize soil disturbance
- ◆ Plan and design skid trails, yard areas, and truck access roads to minimize stream crossings and avoid disturbing the forest floor.
- ♦ Construct stream crossings so that they minimize erosion and physical changes to streams.
- Expedite revegetation of cleared areas.



Uncovered fueling stations allow spills to be washed into storm drains. Cars waiting to be repaired can leak fuel, oil, and other harmful fluids that can be picked up by stormwater.

- Clean up spills immediately and properly dispose of cleanup materials.
- Provide cover over fueling stations and design or retrofit facilities for spill containment.
- Properly maintain fleet vehicles to prevent oil, gas, and other discharges from being washed into local waterbodies.
- Install and maintain oil/water separators.